



ELECTRONIC & INDUSTRIAL C A T A L O G

WD37C65BJM
00-02 9014
J523582007



Manufactured by Cortec® Spray Technologies Division

Rawna•AMERICA™ products have symbolized high quality manufacturing for over forty years—and for good reason. The Rawna•AMERICA™ brand not only stands for quality products, but also for conscientious service to our customers. When you partner with Rawna•AMERICA™, you partner with consistency, integrity, and effectiveness.

In 1998, Rawna™ joined forces with The Cortec® Corporation of St. Paul, Minnesota, the world's largest manufacturer of VpCI™ (Vapor phase Corrosion Inhibitor) chemical products. Cortec's Spray Technologies Division has launched many new technologies and continues to develop advanced spray technologies, as well as new air-powered pouch technologies. In addition to these products, the Rawna•AMERICA™ brand offers complete lines of no-residue cleaners, degreasers, and lubricants.

At Cortec's Spray Technologies Division, our primary product is service. It is our goal to maintain highly focused interaction with our customers, carefully listening to our customers' needs.

ELECTRONIC PRODUCTS

Electronic Cleaners

• EnviroSafe Contact Cleaner	1
• Universal Contact Cleaner	1
• EnviroSafe Circuit Wash	1
• Rawnclean	1
• Anti-Static Glass & Plastic Cleaner	1
• Rawna Propyl	1
• Super Freeze	1

Flux Removers

• EnviroSafe Flux Remover	2
• Fluxsol II	2

Misc

• Dust-A-Way	2
• Silicone Heat Sink	2
• Budget Dust-A-Way	2
• Re-Grip	2
• VpCI™ Conformal Coating	4

INDUSTRIAL PRODUCTS

Industrial Cleaners

• Citkleen	3
• Stainless Steel Cleaner	3
• Non-Chlorinated Brake Cleaner	3

Industrial Lubricants, -VpCI™ Enhanced

• Teflon Lube with VpCI™	4
• Rip-1 Penetrating Oil	3
• Rip-2 Moisture Displacer	3

Industrial Lubricants

• Rip-3 Heavy Duty Rust Preventative	3
• Rip-4 Long Term Rust Preventative	3
• Tefrawn	4
• Silicone Lube	4
• Anti-Seize Paste/Aerosol	3
• Red Grease	4
• Heavy Duty White Lithium Grease	4
• Moly Lube	4
• Super Lube with PTFE	4

Misc

• Belt Dressing	5
• Spatter Shield	5
• Gum Label Remover	5
• EcoClean® Pumice Hand Cleaner	5
• Skin Pro-Tec	5
• EcoClean® Silver & Gold Cleaner	5
• Super Glue	5
• Plas-T-Pair	5



EnviroSafe Contact Cleaner

- Removes oil, grease and dirt
- No residue
- Non-flammable
- Professional use only

Typical Applications:

- Alternative to 141b
- Electrical equipment
- Relays and switches
- Controls



Universal Contact Cleaner

- Fast drying, general purpose cleaner
- Plastic safe
- Deep penetration
- Not for use on energized equipment
- No CFC, HCFC or ODP

Typical Applications:

- Electrical equipment
- Motor parts and brushes
- Relays and switches
- Machinery controls

Part #	Size	Type	
11122	15 oz (425 g.)	Aerosol	Custom

Part #	Size	Type	
11118	9 oz (255 g)	Aerosol	Stock Product



EnviroSafe Circuit Wash

- Superior cleaning
- Plastic safe
- Non-flammable
- Professional use only

Typical Applications:

- Alternative to 141b
- Printed circuit boards
- LOX applications
- Video heads
- Office equipment



RawnClean

- Effective degreaser
- Penetrates quickly
- Removes grease, oil and dirt
- High dielectric strength
- Plastic safe
- No CFC, HCFC or ODP

Typical Applications:

- Electric motors
- Electric equipment
- Air conditioning
- Ignition systems and generators

Part #	Size	Type	
11210	12 oz (340 g)	Aerosol	Custom

Part #	Size	Type	
11185	18 oz (510 g)	Aerosol	Stock Product



Anti-Static Glass & Plastic Cleaner


- Removes ink, soot and grease
- Prevents electrostatic buildup
- Non-streaking
- Meets VOC emission standards
- No CFC, HCFC or ODP

Typical Applications:

- Computer screens
- Printers
- Office equipment
- Computer cabinets
- Keyboards



Part #	Size	Type	
27150	14 oz (397 g)	Aerosol	Custom



Rawn Propyl

- All purpose cleaner
- Effective dehydrant
- 99% purity
- Plastic safe, fast acting, no residue
- No CFC, HCFC or ODP

Typical Applications:

- Remove moisture from metal parts
- Cleaning transducers
- Teflon coated parts
- Glass



Super Freeze

- Locates thermal intermittence
- Protects electronic components during repair
- Shrink fits parts
- Cools to -60°F
- No CFC, HCFC or ODP

Typical Applications:

- Printed circuit boards
- Surface mounted devices
- Electronic equipment and components
- Cools bearings & shafts to ease installation

Part #	Size	Type	
62305	1 pt. (473 mL)	Liquid	Custom

Part #	Size	Type	
13109	10 oz (284 g)	Aerosol	Stock Product



EnviroSafe Flux Remover

- Fast evaporation
- Non-flammable
- Plastic safe
- Professional use only

Typical Applications:

- Alternative to 141b
- Removes type R, RMA, RA, water soluble and synthetic fluxes
- Printed circuit boards
- Relays and switches
- Connectors
- Avionics

Part #	Size	Type	
11121	12 oz (340 g)	Aerosol	Stock Product



Fluxsolv II

- Safely removes type R, RMA, RA, water soluble and synthetic fluxes
- Cleans without rinsing
- Fast drying, no residue
- Plastic safe
- No CFC, HCFC or ODP

Typical Applications:

- De-energized electrical equipment
- Bench top assembly and repair
- Printed circuit boards
- Precision instruments
- Contacts and switches

Part #	Size	Type	
11017	14 oz (397 g)	Aerosol	Custom



Dust-A-Way

- Blast dust, lint and particulates from delicate electronic assemblies
- Leaves no residue
- Non-flammable
- No CFC, HCFC or ODP

Typical Applications:

- Computer equipment
- Printed circuit boards
- Electronic and medical devices
- Audio heads
- TV & VCR equipment

Part #	Size	Type	
10130	10 oz (284 g)	Aerosol	Stock Product



Silicone Heat Sink

- Zinc oxide-filled silicone grease
- Provides a heat sink when mounting transistors or other components
- Will not dry out or harden
- Temperature range of -40°F to 500°F
- No CFC, HCFC or ODP

Typical Applications:

- Transistors
- Printed circuit boards

Part #	Size	Type	
10004	1 oz (28 g)	Syringe	Stock Product



Budget Dust-A-Way

- Instantly removes particulates from electronic components and assemblies
- Cleans delicate equipment
- Non-abrasive, non-corrosive
- No CFC, HCFC or ODP

Typical Applications:

- Computers
- Copiers
- Keyboards
- Photographic equipment

Part #	Size	Type	
10210	8 oz (227 g)	Aerosol	Custom



VpCI™/Acrylic Conformal Coating

- Provides VpCI™ corrosion and moisture resistance
- VpCIs migrate to recessed areas where other conformal coatings can't reach
- Protects and extends board life
- Fast drying
- UV indicator
- No CFC, HCFC or ODP

Typical Applications:

- PC boards
- Coastal, industrial and other severe environments
- Data communication
- Instrumentation

Part #	Size	Type	
34011	12 oz (340 g)	Aerosol	Custom



Re-Grip

- Rubber cleaner and revitalizer
- Penetrates rapidly
- Improves grip
- Revitalizes hardened and glazed rubber
- No CFC, HCFC or ODP

Typical Applications:

- Belts in conveyor systems
- Coin machines
- Rubber devices in record changers
- Hobby applications

Part #	Size	Type	
10006	6.5 fl oz (192 mL)	Liquid	Stock Product
10008	1 oz (29.6 mL)	Liquid	Stock Product
10007	1 gal (3.785 l)	Liquid	Stock Product



CitKleen

- Organic based cleaner and degreaser
- Quickly dissolves grease, oil, tar, etc. from metals
- Safe on most plastics
- No CFC, HCFC or ODP

Typical Applications:

- Electric motors, motor controls
- Machine equipment and maintenance
- Heavy duty cleaning and degreasing

Part #	Size	Type	Custom
31140	11 oz (312 g)	Aerosol	Custom



Stainless Steel Cleaner

- Restores original brightness to stainless and other metals
- Resists fingerprints, grease and oils
- Non-streak formula
- No CFC, HCFC or ODP

Typical Applications:

- Industrial processing equipment
- Appliances
- Marine trim
- Unpainted and precious metal components

Part #	Size	Type	Custom
21007	8 oz (236 mL)	Aerosol	Custom



HI-PRO Heavy Duty Brake Parts Cleaner, Non-Chlorinated

- Aggressive degreasing properties
- Fast acting
- Non-chlorinated
- No residue
- Non-conductive

Typical Applications:

- Metal degreasing
- Vehicle disks
- Rotors and brake linings

Part #	Size	Type	Custom
21003	15 oz (425 g)	Aerosol	Custom



Anti-Seize Paste/Aerosol

- Prevents fretting corrosion on connectors
- Working range of -40°F to 2, 100°F
- Slows aging of threaded fastening devices and aids in easy release and removal
- No CFC, HCFC or ODP

Typical Applications:

- Rollers
- Oven chains
- Marine and outdoor equipment
- Push-pull cables

Part #	Size	Type	Custom
37023	16 oz (454 g)	Paste	Custom
37024	12 oz (340 g)	Aerosol	Custom



RIP-1 Penetrating Oil

- Penetrating oil, now enhanced with VpCIs
- Frees rust frozen parts fast
- Moisture displacing rust preventative
- No CFC, HCFC or ODP

Typical Applications:

- Machine shops
- Home and farm equipment
- Garages

Part #	Size	Type	Custom
37001	12 oz (340 g)	Aerosol	Custom



RIP-2 Moisture Displacer

- Moisture displacing lubricant, now with VpCIs
- Loosens scale and rust from metals
- Penetrates and lubricates
- No CFC, HCFC or ODP

Typical Applications:

- Machine parts
- Switches, motors and generators
- Transformers and coils
- Marine gear

Part #	Size	Type	Custom
37002	12 oz (340 g)	Aerosol	Custom



RIP-3 Heavy Duty Rust Preventative

- Provides excellent lubrication and rust prevention
- Recommended for outdoor equipment
- Lubricating film provides moisture barrier protection
- No CFC, HCFC or ODP

Typical Applications:

- Marine equipment
- Farm equipment
- Hand tools

Part #	Size	Type	Custom
37003	12 oz (340 g)	Aerosol	Custom



RIP-4 Long Term Outdoor Rust Preventative

- Long lasting protection
- Provides a heavy, waxy coating
- For use where asphalt-type coatings are objectionable
- No CFC, HCFC or ODP

Typical Applications:

- Farm machinery
- Marine equipment
- Truck underbody
- Trailer frames

Part #	Size	Type	Custom
37004	10.5 oz (297 g)	Aerosol	Custom



Tefrawn

- Cleans, lubricates, penetrates and displaces moisture
- Synthetic heavy-duty lube with PTFE
- Working range of -65°F to 475°F
- Does not dry or evaporate
- No CFC, HCFC or ODP

Typical Applications:

- Automotive, chain drives
- Conveyors and fork lifts
- Marine and farm equipment
- Slides

Part #	Size	Type	
37005	6 oz (170 g)	Aerosol	Custom



Silicone Lube

- All purpose lubricant
- Non-staining
- Displaces moisture
- May be used as a mold release
- No CFC, HCFC or ODP

Typical Applications:

- Plastic, wood, metal, glass and rubber
- Doors and slides
- Gaskets

Part #	Size	Type	
37008	10 oz (284 g)	Aerosol	Stock Product



Teflon Lube with VpCI™

- Premium grade, VpCI™ enhanced lube with PTFE
- Highly resistant to salt, water, weather and other aggressive environments
- Provides outstanding lubrication
- No CFC, HCFC or ODP

Typical Applications:

- Push-pull cables, pulleys and guides
- Hydraulic equipment
- Farm and marine equipment
- Conveyors

Part #	Size	Type	
37027	14 oz (396 g)	Grease Cartridge	Custom



Red Grease

- Multi-purpose lithium grease
- Working range of 0°F to 350°F
- Provides rust protection and oxidation resistance in severe conditions
- Resists water washout
- No CFC, HCFC or ODP

Typical Applications:

- Conveyors
- Forklifts
- Marine and farm equipment
- Automotive equipment

Part #	Size	Type	
37020	13 oz (369 g)	Aerosol	Custom



Heavy Duty White Lithium Grease

- Heavy duty lubricant
- Working range of 0°F to 350°F
- Offers long term stability
- Non-hardening
- Superior metal-to-metal protection
- No CFC, HCFC or ODP

Typical Applications:

- Chain drives
- Slides and farm equipment
- Automotive equipment
- Garage doors

Part #	Size	Type	
37021	13 oz (369 g)	Aerosol	Custom



Moly Lube

- Provides protection in harsh environments
- Reduces friction and parts wear
- Working range of 0°F to 250°F
- Residual solids will operate to 750°F
- No CFC, HCFC or ODP

Typical Applications:

- Lubricating during metal forming, cold extrusion and general parts assembly
- Pneumatic cylinders
- Hydraulic equipment

Part #	Size	Type	
37028	17 oz (481 g)	Paste	Custom



Super Lube with PTFE

- Synthetic cleaner and lube with PTFE
- Displaces moisture
- Working range of -65°F to 475°F
- Superior lubricity on all metals
- No CFC, HCFC or ODP

Typical Applications:

- Conveyors and forklifts
- Hinges and slides
- Cutting fluid
- Marine and farm equipment

Part #	Size	Type	
37026	11 oz (312 g)	Aerosol	Stock Product



Belt Dressing

- Drive belt conditioner and revitalizer
- Improves tack
- Prolongs belt life and stops slippage
- Performs well under wet conditions
- No CFC, HCFC or ODP

Typical Applications:

- Round, flat and V-belts
- Air conditioning and air compressors
- Automotive applications
- Farm equipment
- Rubber, leather, canvas and fabric belts

Part #	Size	Type	
34002	15 oz (425 g)	Aerosol	Custom



Spatter Shield

- Prevents weld spatter from adhering to contact tips
- Provides a safer welding environment
- Compatible with painted surfaces
- No CFC, HCFC or ODP

Typical Applications:

- General welding
- Sheet metal
- Tubular stock
- MIG nozzles

Part #	Size	Type	
21005	16 oz (454 g)	Aerosol	Custom



Gum Label Remover

- Removes labels, stickers and adhesive residue from non-porous surfaces
- Brush applicator
- Easy to use
- No CFC, HCFC or ODP

Typical Applications:

- Container labels
- Packaging labels
- Bumper stickers

Part #	Size	Type	
35300	3 fl oz (88 ml)	Liquid	Custom



EcoClean® Pumice Hand Cleaner

- Industrial strength, organic cleaner
- Vegetable oil and citrus based
- Waterless
- Deep cleaning
- Biodegradable
- No CFC, HCFC or ODP

Typical Applications:

- Skin cleansing
- Industrial and household use

Part #	Size	Type	
24000	16 oz (454 g)	Gel	Custom



Skin Pro-Tec

- Anti-microbial and anti-bacterial hand sanitizer
- Continuous protection, up to 4 hours
- Contains no dyes or fragrances
- No CFC, HCFC or ODP

Typical Applications:

- Food handling
- Hand and skin protection

Part #	Size	Type	
27155	4 fl oz (118 ml)	Lotion	Custom



EcoClean® Silver and Gold Cleaner

- VpCI™ enhanced
- Removes oxidation, grease and oils from metal contacts
- VpCIs eliminate need for constant re-cleaning and polishing
- Biodegradable and non-toxic
- No CFC, HCFC or ODP

Typical Applications:

- Silver and gold electrical contacts
- Sterling silver, silver plate and gold
- Silverware and fine jewelry

Part #	Size	Type	
24050	16 oz (454 g)	Paste	Custom



Super Glue

- Bonds instantly to steel, plastic, aluminum, rubber, glass and ceramic
- Unique dispenser bottle with an airtight cap
- No CFC, HCFC or ODP

Typical Applications:

- Shop maintenance
- Electronic assembly and repair
- General purpose bonding
- Bench top maintenance

Part #	Size	Type	
35010	0.11 oz (3 g)	Liquid	Stock Product



Plas-T-Pair

- Repairs different substances
- Joins fiberglass, wood, plaster, concrete and other unlike materials
- Forms a waterproof bond
- Provides permanent plastic repair
- No CFC, HCFC or ODP

Typical Applications:

- Equipment and machinery maintenance
- Home and construction maintenance
- Bench top maintenance
- Fiberglass assembly
- Hobbyists

Part #	Size	Type	
35105	1 oz Caddy Size Kit	Liquid	Stock Product
35175	3 oz Shop Size Kit	Liquid	Stock Product
35450	8 oz Industrial Size Kit	Liquid	Stock Product
	Custom sizes available		



Visit our website for more information

RawnAmerica.com

LIMITED WARRANTY

All statements, technical information and recommendations contained herein are based on tests Cortec Corporation believes to be reliable, but the accuracy or completeness thereof is not guaranteed.

Cortec Corporation warrants Cortec® products will be free from defects when shipped to customer. Cortec Corporation's obligation under this warranty shall be limited to replacement of product that proves to be defective. To obtain replacement product under this warranty, the customer must notify Cortec Corporation of the claimed defect within six months after shipment of product to customer. All freight charges for replacement product shall be paid by customer.

Cortec Corporation shall have no liability for any injury, loss or damage arising out of the use of or the inability to use the products.

BEFORE USING, USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR ITS INTENDED USE, AND USER ASSUMES ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.

No representation or recommendation not contained herein shall have any force or effect unless in a written document signed by an officer of Cortec Corporation.

THE FOREGOING WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, EXPRESS, IMPLIED OR STATUTORY, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE. IN NO CASE SHALL CORTEC CORPORATION BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES.

Distributed by:



4119 White Bear Parkway, St. Paul, MN 55110 USA
 Phone (651) 429-1100, Fax (651) 429-1122
 Toll Free (800) 4-CORTEC, E-mail: info@cortecvci.com
www.CortecVpCI.com

printed on recycled paper  10% post consumer

Revised: 5/06 supersedes: 6/05. Cortec®, VpCI™, VpCI™ Film Color of Blue®, VpCI-126®, VpCI-609®, VpCI-137®, VmCI-307®, Migrating Corrosion Inhibitors™, MCI®, Corr-Mitt®, EcoAir®, Eco-Corr®, Eco Emitter™, EcoLine®, EcoSpray®, EcoClean®, EcoShield®, EcoWeave®, MCI®, Cor-Lube™, Cor-Mastic™, Cor-Pak®, CorShield®, Corrosorb™, CorCrete™, Corwipe®, EcoCoat™, ElectriCorr®, MCI®Grenade®, Migrating Corrosion Inhibitors™, Primecoat™, Total Corrosion Control™, VpCI™, VpCI CorVerter™, VpCI Film Color of Blue™ and HPRS®, Boiler Lizard®, Cooling Tower Frog®, Closed Loop Toad®, Cooling Loop Gator®, Pine Tree Logo®, CRI®, Metacor™, and Rust Hunter™ are trademarks of Cortec Corporation. ©Cortec Corporation 2005. All rights reserved.